ATTORNEY DOCKET NO. A21-535.1007

07148/032001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : DeBonte et al.

Art Unit: 1804

Examiner: G. Benzion

Serial No.: 08/572,027 Filed

: 12/14/95

Title

: PLANTS HAVING MUTANT SEQUENCES THAT CONFER ALTERED

FATTY ACID PROFILES

Assistant Commissioner for Patents Washington, DC 20231

STATEMENT UNDER 37 CFR §1.825(b)

I hereby submit that the content of the substitute paper and computer readable copies of the Sequence Listing, submitted in accordance with 37 CFR §1.821(c) and (e), respectively, are the same and that the sequence listings contain no new matter.

Respectfully submitted,

Monica McCormick Graham, Ph.D.

Req. No. P-42.600

Fish & Richardson P.C., P.A. 60 South Sixth Street, Suite 3300 Minneapolis, MN 55402

Telephone: 612/335-5070 Facsimile: 612/288-9696

14532.M11

1 hereby certify under 3th CFR 1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: DeBonte, L. et al.
- (ii) TITLE OF INVENTION: PLANTS HAVING MUTANT SEQUENCES THAT CONFER ALTERED FATTY ACID PROFILES
- (iii) NUMBER OF SEQUENCES: 8
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Fish & Richardson P.C., P.A.
 - (B) STREET: 60 South Sixth Street, Suite 3300
 - (C) CITY: Minneapolis
 - (D) STATE: MN
 - (E) COUNTRY: USA
 - (F) ZIP: 55402
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Diskette

 - (B) COMPUTER: IBM compatible (C) OPERATING SYSTEM: Windows95
 - (D) SOFTWARE: FastSEQ for Windows Version 2.0
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/572,027
 - (B) FILING DATE: 14-DEC-1995
 - (C) CLASSIFICATION:
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/416,497
 - (B) FILING DATE: 04-APR-1995
 - (C) CLASSIFICATION:
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/170,886
 - (B) FILING DATE: 21-DEC-1993
 - (C) CLASSIFICATION:
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 07/739,965
 - (B) FILING DATE: 05-AUG-1991
 - (C) CLASSIFICATION:
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 07/575,542
 - (B) FILING DATE: 30-AUG-1990
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Ellinger, Mark S.
 - (B) REGISTRATION NUMBER: 34,812
 - (C) REFERENCE/DOCKET NUMBER: A21-535.10
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 612/335-5070
 - (B) TELEFAX: 612/288-9696
- (2) INFORMATION FOR SEQ ID NO:1:

(C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (vi) ORIGINAL SOURCE: (A) ORGANISM: Brassica napus (ix) FEATURE: (D) OTHER INFORMATION: Wild type F form. (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: ATG GGT GCA GGT GGA AGA ATG CAA GTG TCT CCT CCC TCC AAG AAG TCT 48 Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser GAA ACC GAC ACC ATC AAG CGC GTA CCC TGC GAG ACA CCG CCC TTC ACT 96 Glu Thr Asp Thr Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 25 GTC GGA GAA CTC AAG AAA GCA ATC CCA CCG CAC TGT TTC AAA CGC TCG 144 Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser ATC CCT CGC TCT TTC TCC TAC CTC ATC TGG GAC ATC ATC ATA GCC TCC 192 Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 55 TGC TTC TAC TAC NTC GCC ACC ACT TAC TTC CCT CTC CTC CCT CAC CCT 240 Cys Phe Tyr Tyr Xaa Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro CTC TCC TAC TTC GCC TGG CCT CTC TAC TGG GCC TGC CAA GGG TGC GTC 288 Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val CTA ACC GGC GTC TGG GTC ATA GCC CAC GAA TGC GGC CAC CAC GCC TTC 336 Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe 100 AGC GAC TAC CAG TGG CTT GAC GAC ACC GTC GGT CTC ATC TTC CAC TCC 384 Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser 115 120 TTC CTC CTC GTC CCT TAC TTC TCC TGG AAG TAC AGT CAT CGC AGC CAC 432 Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Ser His 130 135 CAT TCC AAC ACT GGC TCC CTC GAG AGA GAC GAA GTG TTT GTC CCC AAG 480 His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1155 base pairs(B) TYPE: nucleic acid

							AAC Asn			528
							TGG Trp 190			576
							GGC Gly			624
	 	 					GAG Glu			672
							TAC Tyr			720
							TGC Cys			768
							ATC Ile 270			816
							TCC Ser			864
							TAC Tyr			912
							GCC Ala			960
							ACC Thr			1008
							ACG Thr 350			1056
							GTG Val			1104
							AAT Asn	TTA Leu	Т	1153
GA										1155

.

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser

Glu Thr Asp Thr Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 60

Cys Phe Tyr Tyr Xaa Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro 65 70 75 80

Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val 85 90 95

Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe
100 105 110

Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser 115 120 125

Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Ser His 130 135 140

His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys 145 150 155 160

Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr Leu Asn Asn Pro Leu 165 170 175

Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu 180 185 190

Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Arg 195 200 205

Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu 210 215 220

Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu 225 230 235 240

Phe Arg Tyr Ala Ala Gly Gln Gly Val Ala Ser Met Val Cys Phe Tyr 245 250 255

Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr 260 265 270

Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp 275 280 285)													
Asp Trp Phe Arg Gly Ala Leu Ala Thr Val Asp Arg Asp Tyr Gly Ile 290 295 300	:													
Leu Asn Lys Val Phe His Asn Ile Thr Asp Thr His Val Ala His His 305 310 315 320														
Pro Phe Ser Thr Met Pro His Tyr His Ala Met Glu Ala Thr Lys Ala 325 330 335	ı													
Ile Lys Pro Ile Leu Gly Glu Tyr Tyr Gln Phe Asp Gly Thr Pro Val														
Val Lys Ala Met Trp Arg Glu Ala Lys Glu Cys Ile Tyr Val Glu Pro 355 360 365	ı													
Asp Arg Gln Gly Glu Lys Lys Gly Val Phe Trp Tyr Asn Asn Lys Leu 370 375 380	,													
(2) INFORMATION FOR SEQ ID NO:3:														
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1155 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 														
(ii) MOLECULE TYPE: DNA														
(iii) HYPOTHETICAL: NO														
(iv) ANTI-SENSE: NO														
<pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Brassica napus</pre>														
(vii) IMMEDIATE SOURCE: (B) CLONE: Q508														
(ix) FEATURE:														
(D) OTHER INFORMATION: T to A transversion mutation at nucleotide 515 of the F form.														
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:														
ATG GGT GCA GGT GGA AGA ATG CAA GTG TCT CCT CCC TCC AAG AAG TCT	48													
Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser 1 5 10 15														
GAA ACC GAC ACC ATC AAG CGC GTA CCC TGC GAG ACA CCG CCC TTC ACT Glu Thr Asp Thr Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 20 25 30														
GTC GGA GAA CTC AAG AAA GCA ATC CCA CCG CAC TGT TTC AAA CGC TCG Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45														
ATC CCT CGC TCT TTC TCC TAC CTC ATC TGG GAC ATC ATC ATA GCC TCC Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 60														

	TAC Tyr								240
	TAC Tyr								288
	GGC Gly								336
	TAC Tyr 115								384
	CTC Leu								432
	AAC Asn								480
	TCA Ser								528
	ACC Thr								576
	GCC Ala 195								624
	TTC Phe								672
	TAC Tyr								720
	TAC Tyr								768
	CCG Pro								816
	CAC His 275								864
	TTC Phe								912

		Asn Ile Thr	C GAC ACG CAC r Asp Thr His 315	
			C GCG ATG GAA s Ala Met Glu 330	
			T CAG TTC GAT r Gln Phe Asp 5	
	Met Trp Arg		G GAG TGT ATC s Glu Cys Ile	
			G TTC TGG TAC l Phe Trp Tyr 380	
GA				1155

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser 1 5 10 15

Glu Thr Asp Thr Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr
20 25 30

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 55 60

Cys Phe Tyr Tyr Xaa Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro 65 70 75 80

Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val 85 90 95

Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe 100 105 110

Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser 115 120 125

Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Ser His 130 135 140

His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr His Asn Asn Pro Leu Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Arg Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu Phe Arg Tyr Ala Ala Gly Gln Gly Val Ala Ser Met Val Cys Phe Tyr Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp 280 Asp Trp Phe Arg Gly Ala Leu Ala Thr Val Asp Arg Asp Tyr Gly Ile Leu Asn Lys Val Phe His Asn Ile Thr Asp Thr His Val Ala His His 310 315 Pro Phe Ser Thr Met Pro His Tyr His Ala Met Glu Ala Thr Lys Ala Ile Lys Pro Ile Leu Gly Glu Tyr Tyr Gln Phe Asp Gly Thr Pro Val 345 Val Lys Ala Met Trp Arg Glu Ala Lys Glu Cys Ile Tyr Val Glu Pro Asp Arg Gln Gly Glu Lys Lys Gly val Phe Trp Tyr Asn Asn Lys Leu (2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1155 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA
- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Brassica napus

(ix) FEATURE: (D) OTHER INFORMATION: Wild type D form.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

		AGA Arg						48
		AAG Lys						96
		AAA Lys						144
		TCC Ser						192
		GCC Ala 70						240
		TGG Trp						288
		GTC Val						336
		CTG Leu						384
		TAC Tyr						432
		TCC Ser 150						480
		AAG Lys						528
		TTA Leu						576
		GTC Val						624
		AAC Asn						672

	ATA Ile									720
	CGC Arg									768
	GTT Val									816
	CAG Gln									864
	TGG Trp 290									912
	AAC Asn									960
	TTC Phe	 -								1008
	AAG Lys									1056
	AAG Lys									1104
	AGG Arg 370								Т	1153
GA										1155

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 384 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser 1 5 10 15

Glu Thr Asp Asn Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 20 25 30

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val Leu Thr Gly Val Trp Val Ile Ala His Glu Cys Gly His His Ala Phe Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Arg His 135 His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr Leu Asn Asn Pro Leu Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu 185 Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Ala Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu 215 Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu Tyr Arg Tyr Ala Ala Val Gln Gly Val Ala Ser Met Val Cys Phe Tyr 250 Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr Leu Gln His Thr His Pro Ser Leu Pro His Tyr Asp Ser Ser Glu Trp Asp Trp Leu Arg Gly Ala Leu Ala Thr Val Asp Arg Asp Tyr Gly Ile 295 Leu Asn Lys Val Phe His Asn Ile Thr Asp Thr His Val Ala His His Leu Phe Ser Thr Met Pro His Tyr His Ala Met Glu Ala Thr Lys Ala 330 Ile Lys Pro Ile Leu Gly Glu Tyr Tyr Gln Leu His Gly Thr Pro Val Val Lys Ala Met Trp Arg Glu Ala Lys Glu Cys Ile Tyr Val Glu Pro Asp Arg Gln Gly Glu Lys Lys Gly Val Phe Trp Tyr Asn Asn Lys Leu

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1155 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (vi) ORIGINAL SOURCE: (A) ORGANISM: Brassica napus (vii) IMMEDIATE SOURCE: (B) CLONE: IMC129 (ix) FEATURE: (D) OTHER INFORMATION: G to A transversion mutation at nucleotide 316 of the D form. (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7: ATG GGT GCA GGT GGA AGA ATG CAA GTG TCT CCT CCC TCC AAA AAG TCT 48 Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser GAA ACC GAC AAC ATC AAG CGC GTA CCC TGC GAG ACA CCG CCC TTC ACT 96 Glu Thr Asp Asn Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr 25 GTC GGA GAA CTC AAG AAA GCA ATC CCA CCG CAC TGT TTC AAA CGC TCG 144 Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser ATC CCT CGC TCT TTC TCC TAC CTC ATC TGG GAC ATC ATC ATA GCC TCC 192 Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ala Ser TGC TTC TAC TAC GTC GCC ACC ACT TAC TTC CCT CTC CTC CCT CAC CCT 240 Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Leu Pro His Pro 70 65 CTC TCC TAC TTC GCC TGG CCT CTC TAC TGG GCC TGC CAG GGC TGC GTC Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val CTA ACC GGC GTC TGG GTC ATA GCC CAC AAG TGC GGC CAC CAC GCC TTC 336 Leu Thr Gly Val Trp Val Ile Ala His Lys Cys Gly His His Ala Phe AGC GAC TAC CAG TGG CTG GAC GAC ACC GTC GGC CTC ATC TTC CAC TCC 384 Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser TTC CTC CTC GTC CCT TAC TTC TCC TGG AAG TAC AGT CAT CGA CGC CAC 432 Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Arg His

(2) INFORMATION FOR SEO ID NO:7:

	TCC Ser									480
	AAG Lys									528
	CGC Arg									576
	TTA Leu									624
	CAT His 210									672
	ATA Ile									720
	CGC Arg									768
	GTT Val									816
	CAG Gln									864
	TGG Trp 290									912
	AAC Asn									960
	TTC Phe									1008
	AAG Lys									1056
	AAG Lys									1104
	AGG Arg 370							TTA Leu	Т	1153
GA										1155

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 384 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met Gly Ala Gly Gly Arg Met Gln Val Ser Pro Pro Ser Lys Lys Ser

1 10 15

Glu Thr Asp Asn Ile Lys Arg Val Pro Cys Glu Thr Pro Pro Phe Thr

Val Gly Glu Leu Lys Lys Ala Ile Pro Pro His Cys Phe Lys Arg Ser 35 40 45

Ile Pro Arg Ser Phe Ser Tyr Leu Ile Trp Asp Ile Ile Ile Ala Ser 50 60

Cys Phe Tyr Tyr Val Ala Thr Thr Tyr Phe Pro Leu Pro His Pro 65 70 75 80

Leu Ser Tyr Phe Ala Trp Pro Leu Tyr Trp Ala Cys Gln Gly Cys Val 85 90 95

Leu Thr Gly Val Trp Val Ile Ala His Lys Cys Gly His His Ala Phe
100 105 110

Ser Asp Tyr Gln Trp Leu Asp Asp Thr Val Gly Leu Ile Phe His Ser 115 120 125

Phe Leu Leu Val Pro Tyr Phe Ser Trp Lys Tyr Ser His Arg Arg His 130 135 140

His Ser Asn Thr Gly Ser Leu Glu Arg Asp Glu Val Phe Val Pro Lys 145 150 155 160

Lys Lys Ser Asp Ile Lys Trp Tyr Gly Lys Tyr Leu Asn Asn Pro Leu 165 170 175

Gly Arg Thr Val Met Leu Thr Val Gln Phe Thr Leu Gly Trp Pro Leu 180 185 190

Tyr Leu Ala Phe Asn Val Ser Gly Arg Pro Tyr Asp Gly Gly Phe Ala 195 200 205

Cys His Phe His Pro Asn Ala Pro Ile Tyr Asn Asp Arg Glu Arg Leu 210 220

Gln Ile Tyr Ile Ser Asp Ala Gly Ile Leu Ala Val Cys Tyr Gly Leu 225 230 235 240

Tyr Arg Tyr Ala Ala Val Gl
n Gly Val Ala Ser Met Val Cys Phe Tyr 245 250 255

Gly Val Pro Leu Leu Ile Val Asn Gly Phe Leu Val Leu Ile Thr Tyr 260 265 270

LeuGlnHis
275ThrHisProSerLeu
280ProHisTyrAspSerSerGluTrpAspTrpLeuArgGlyAlaLeu
295AlaThrValAspAspTyrGlyIleLeuAspLysValPheHis
310AspIleThrAspThrHis
315ValAlaHisHis
320LeuPheSerThrMetProHisTyrHisAlaMetGluAlaThrLysAlaIleLysAlaMetTrpArgGluAlaLysGluCysIleTyrValGluProVal355MetTrpArgGluAlaLysGluCysIleTyrValGluPro

Asp Arg Gln Gly Glu Lys Lys Gly Val Phe Trp Tyr Asn Asn Lys Leu

•